



# S P E E D S E E D

# 1 2 0 0



The Speedseed has been completely redesigned, making it the most rugged, economical and efficient version to date. The new Speedseed 1200 is equipped with individual cast spiker rings which enable the operator to make turns while in operation, saving time and effort. This Speedseed is able to work on smaller tractors.

# SPEEDSEED 1200



The Vshaped spikes produce holes which funnel the randomly dispersed seed, concentrating them at the proper depth for best germination. The new high volume seed box utilizes a proven roller design with quick-change gears, allowing the machine an infinite range of feed rates with all types of seed, from very large to very small (bents) seed types. Finishing up is a large smooth-roller, which can be optionally equipped with a second set of spiker rings, followed by the rear brush. With operating speeds up to 7.5 miles per hour, the Speedseed 1200 provides fast, accurate and economical overseeding.



## WORKING SPECIFICATIONS

Weight	772 lbs (350 g).
Spacing	Square 1.18" (30 mm)
Depth	0.19" - 0.78" (5 mm - 20 mm)
Holes per sq/ft	92 (990 holes/sq meter)
Working Width	47.2" (1.2 m)
Maximum capacity	152,523 ft <sup>2</sup> (141,75 m <sup>2</sup> )
3-point type	Cat.1-2
Seed-tray capacity	5.9 cu. ft. (168 litres)
Delivery Rate	Infinite
Rec. Tractor	20 HP with minimum lifting capacity of 990 lbs (450kg)
Options	Set of spikes for back roller

## FEATURES / BENEFITS

FEATURE	BENEFIT
Working Speed-7.5 mph	Saves time and money
Large Seed Hopper	Less time spent on refills
Spiked Disk Roller	Random dispersement of seed with no drill lines
New Feed System	Handles all seed types-even bents-with great accuracy
Quick-Change Feed Gears	Fast and easy rate adjustment

## CALL FOR YOUR FREE DEMO TODAY!

Our commitment is to fully satisfy the needs of our customer. For immediate assistance, contact your local distributor or our Sales & Marketing Office at 636-326-1009.



**Redexim North America, Inc.**  
 29 Cassens Court  
 Fenton, MO 63026, USA  
 Tel: 636-326-1009  
 Fax: 636-326-4884  
 www.redexim.com  
 E-mail: redexim@aol.com



# S P E E D S E E D

# 2100 & 2400



The new Speed-Seed models 2100 and 2400 are ideal to over-seed large areas quickly. The front spiked roller made of individual cast rings creates thousands of holes and can easily turn along any obstacles in its path. This seeder is designed for the turf manager that does not like the traditional rows created by other machines on the market.

# SPEEDSEED 1200 & 2400



## WORKING SPECIFICATIONS

Model	2100	2400
Working Width	83" (2.1m)	94" (2.4m)
Weight	1375 lbs. (625kg)	1654 lbs. (750kg)
Number of Holes with 1 Spike Roller	1124/sq. yd. (940/m <sup>2</sup> )	1124/sq. yd. (940/m <sup>2</sup> )
Number of Holes with 2 Spiked Rollers	2201/sq. yd. (1840/m <sup>2</sup> )	2201/sq. yd. (1840/m <sup>2</sup> )
Hopper Capacity	10.66 cu. ft. (300ltr)	12 cu. ft. (336ltr)
Seed Density	fully adjustable	fully adjustable
Tractor Required	35 HP, 1760 lbs. (800kg) Lift Cap	40 HP, 2090 lbs. (850kg) Lift Cap
Ground Speed Cap	up to 6 mph (10km/h)	up to 6 mph (10km/h)
Option	2 <sup>nd</sup> Spiked Roller weighing 282 lbs. (138kg)	2 <sup>nd</sup> Spiked Roller 348 lbs. (158kg)

## FEATURES / BENEFITS

FEATURE	BENEFIT
Spike Roller	Thousands of holes
Individual cast rings	Easy replacement
Wider working width	More productive
Accurate seeding system	Less waste and better germination

## CALL FOR YOUR FREE DEMO TODAY!

Our commitment is to fully satisfy the needs of our customer. For immediate assistance, contact your local distributor or our Sales & Marketing Office at 636-326-1009.

